

LOADING DOCK TABLES

Art no	Description MODEL	Capacity (Kg)	Platform (L x W) (mm)	Base frame (L x W) (mm)	Max Length (mm)	Max Width (mm)	Lift stroke (mm)	Closed height (mm)	Lift time (sec)	Motor (kW)	Weight (kg)
860315	JX3-20/130-2CK	2000	2000x1500	2000x1260	2300	1950	1300	305	26	2,2	950
860320	JX3-20/130-2CK	2000	2000x2000	2000x1760	2300	2350	1300	305	26	2,2	1100
860321	JX3-20/160-2CK	2000	2500x1500	2250x1260	2800	1950	1600	305	31	2,2	1000
860322	JX3-20/160-2CK	2000	2500x2000	2250x1760	2800	2350	1600	305	31	2,2	1170
860323	JX3,5-20/160-2CK	2000	2500x2400	2250x2160	2800	2500	1600	305	31	2,2	1320
860324	JX3-20/160-2CK	2000	3000x2000	2500x1760	3000	2350	1600	305	33	2,2	1300
860326	JX3-20/160-2CK	2000	3000x2400	2500x2160	3000	2500	1600	305	33	2,2	1575
860329	JX3-30/130-2CK	3000	2000x1500	2000x1260	2300	1950	1300	305	26	2,2	950
860330	JX3-30/130-2CK	3000	2000x2000	2000x1760	2300	2350	1300	305	26	2,2	1100
860331	JX3-30/160-2CK	3000	2500x1500	2250x1260	2800	1950	1600	305	33	2,2	1000
860332	JX3-30/160-2CK	3000	2500x2000	2250x1760	2800	2350	1600	305	33	2,2	1170
860333	JX3-30/160-2CK	3000	2500x2400	2250x2160	2800	2500	1600	305	33	2,2	1320
860334	JX3,5-30/160-2CK	3000	3000x2000	2500x1760	3000	3300	1600	305	33	2,2	1330
860336	JX3,5-30/160-2CK	3000	3000x2400	2500x2160	3000	2500	1600	305	33	2,2	1600
860339	JX3,5-40/130-2CK	4000	2000x1500	2000x1260	2300	1950	1300	305	26	2,2	1000
860340	JX3,5-40/130-2CK	4000	2000x2000	2000x1760	2300	2350	1300	305	26	2,2	1150
860367	JX4-40/160-2CK	4000	2500x1500	2500x1260	3000	1950	1600	450	34	2,2	1300
860342	JX4-40/160-2CK	4000	2500x2000	2500x1760	3000	2350	1600	450	34	2,2	1500
860343	JX4-40/160-2CK	4000	2500x2400	2500x2160	3000	2500	1600	450	34	2,2	1700
860344	JX4-40/160-2CK	4000	3000x2000	2500x1760	3000	2350	1600	450	26	4,6	1650
860346	JX4-40/160-2CK	4000	3000x2400	2500x2160	3000	2500	1600	450	26	4,6	1830

The loading dock tables are as standard equipped with following:

- 8 mm steel plate on platform instead of 5 mm as the standard table
- Oil filled minus side of cylinders
- Reinforced platform with more profiles
- Service hatch in platform
- Mechanical bottom stops
- Lifting eyes
- Two component paint 120 my

LOADING DOCK TABLES

Art no	Description MODEL	Capacity (Kg)	Platform (L x W) (mm)	Base frame (L x W) (mm)	Max Length (mm)	Max Width (mm)	Lift stroke (mm)	Closed height (mm)	Lift time (sec)	Motor (kW)	Weight (kg)
860347	JX4-60/130-2CK	6000	2250x1500	2250x1260	2500	1950	1300	420	27	4,6	1300
860348	JX4-60/130-2CK	6000	2250x2000	2250x1760	2500	2350	1300	420	27	4,6	1500
860349	JX4,5-60/160-2CK	6000	2500x1500	2500x1260	3000	1950	1600	450	34	4,6	1390
860352	JX4,5-60/160-2CK	6000	2500x2000	2500x1760	3000	2350	1600	450	26	4,6	1600
860353	JX4,5-60/160-2CK	6000	2500x2400	2500x2160	3000	2500	1600	450	26	4,6	1800
860350	JX4,5-60/160-2CK	6000	3000 x 2000	2500x1760	3000	2350	1600	450	33	4,6	1750
860362	JX4,5-60/160-2CK	6000	3000 x 2400	2500x2160	3000	2500	1600	450	33	4,6	1930
860363	JX5-80/160-2CK	8000	3000 x 2000	3000x1760	3000	2200	1600	600	33	4,6	3200
860364	JX5-80/160-2CK	8000	3000 x 2400	3000x2160	3000	2500	1600	600	33	4,6	3400
860365	JX5-100/160-4CK	10000	3000 x 2000	3000x1760	3000	2200	1600	650	48	4,6	3400
860366	JX5-100/160-4CK	10000	3000 x 2400	3000x2160	3000	2500	1600	650	48	4,0	3600

The loading dock tables are as standard equipped with following:

- 8 mm steel plate ON platform instead of 5 mm as the standard table
- Oil filled minus side of cylinders
- Reinforced platform with more profiles
- Service hatch in platform
- Mechanical bottom stops
- Lifting eyes
- Two component paint 120 my